



Digital media selection made easy – HP INDIGO

Digital printing is shaping the way businesses communicate today. At Ariva, we understand today's digital printing technologies—and the importance of using the right media to achieve optimal results.

This guide is designed to take the guesswork out of selecting the ideal digital media solution for your application and your specific **HP INDIGO®** equipment. In it, you'll find a full range of innovative media solutions that enable exciting, creative and profitable possibilities— including coated, uncoated, reprographic, and speciality media. All products in the guide have been tested for compatibility with the listed equipment, for trouble-free printing and beautiful results.

- Best-of-breed substrates for any digital printing application.
- Certified compatibility with leading digital equipment.
- Expert support from a world-class leader in digital printing solutions.

We'll continue to add new digital media solutions to help you take full advantage of your digital printing investment and maximize your business success.

UNCOATED

COUGAR DIGITAL

OEM endorsement(s): 2-star Certified for HP Indigo 5500 and 7000 series presses

		SKU	BASIS	FINISH	SIZE	MWT	SHTS/CTN	SHTS/PKG	GSM	CERTIFICATION	PCW
DOMTAR	Cougar Digital	CRSMT012BWC6UWH	60LB	Smooth	8.5X11	11.81	5000	500	89	F, S	10
		CRSMT024BWX6UWH	60LB	Smooth	11X17	23.62	2500	500	89	F, S	10
		CRSMT027BWX6UWH	60LB	Smooth	12X18	27.28	1200	-	89	F, S	10
		CRSMT014BWC7UWH	70LB	Smooth	8.5X11	13.78	4000	500	104	F, S	10
		CRSMT028BWX7UWH	70LB	Smooth	11X17	27.56	2000	500	104	F, S	10
		CRSMT032BWX7UWH	70LB	Smooth	12X18	31.83	1100	-	104	F, S	10
		CRSMT036BWX7UWH	70LB	Smooth	13X19	36.4	1100	-	104	F, S	10
		CRSMT016BWC8UWH	80LB	Smooth	8.5X11	15.75	4000	500	118	F, S	10
		CRSMT036BWX8UWH	80LB	Smooth	12X18	36.38	1000	-	118	F, S	10
		CRSMT042BWX8UWH	80LB	Smooth	13X19	41.6	1000	-	118	F, S	10
		CRSMT045BWX1UWH	100LB	Smooth	12X18	45.47	800	-	148	F, S	10
		CRSMT052BWX1UWH	100LB	Smooth	13X19	52	800	-	148	F, S	10
		CRSMC023BWC6UWH	65LB CVR	Smooth	8.5X11	23.38	2500	250	176	F, S	10
		CRSMC047BWD6UWH	65LB CVR	Smooth	17X11	46.76	1250	250	176	F, S	10
		CRSMC054BWG6UWH	65LB CVR	Smooth	18X12	54	650	-	176	F, S	10
		CRSMC029BWC8UWH	80LB CVR	Smooth	8.5X11	28.77	2000	250	216	F, S	10
		CRSMC058BWD8UWH	80LB CVR	Smooth	17X11	57.54	1000	250	216	F, S	10
		CRSMC066BWG8UWH	80LB CVR	Smooth	18X12	66.46	500	-	216	F, S	10
		CRSMC076BWG8UWH	80LB CVR	Smooth	19X13	76	500	-	216	F, S	10
		CRSMC036BWC1UWH	100LB CVR	Smooth	8.5X11	35.96	1600	200	270	F, S	10
		CRSMC072BWD1UWH	100LB CVR	Smooth	17X11	71.92	750	250	270	F, S	10
		CRSMC083BWG1UWH	100LB CVR	Smooth	18X12	83.08	400	-	270	F, S	10
		CRSMC095BWG1UWH	100LB CVR	Smooth	19X13	95	400	-	270	F, S	10

LYNX OPAQUE ULTRA

OEM endorsement(s): 2-star Certified for HP Indigo 5500 and 7000 series presses

		SKU	BASIS	FINISH	SIZE	MWT	SHTS/CTN	SHTS/PKG	GSM	CERTIFICATION
DOMTAR	Lynx Opaque Ultra Smooth	LXSMT010WBC5UWH	50LB	Smooth	8.5X11	9.84	5000	500	74	F, S
		LXSMT020WBX5UWH	50LB	Smooth	11X17	19.68	2500	500	74	F, S
		LXSMT023WBX5UWH	50LB	Smooth	12X18	22.74	1500	-	74	F, S
		LXSMT012WBC6UWH	60LB	Smooth	8.5X11	11.81	5000	500	89	F, S
		LXSMT024WBX6UWH	60LB	Smooth	11X17	23.62	2500	500	89	F, S
		LXSMT027WBX6UWH	60LB	Smooth	12X18	27.28	1200	-	89	F, S
		LXSMT031WBX6UWH	60LB	Smooth	13X19	31.2	500	-	89	F, S
		LXSMT035WBX6UWH	60LB	Smooth	14X20	35.37	1200	-	89	F, S
		LXSMT3HPWBP6UWH	60LB 3HP	Smooth	8.5X11	11.81	5000	500	89	F, S
		LXSMT014WBC7UWH	70LB	Smooth	8.5X11	13.78	4000	500	104	F, S
		LXSMT028WBX7UWH	70LB	Smooth	11X17	27.56	2000	500	104	F, S
		LXSMT032WBX7UWH	70LB	Smooth	12X18	31.83	1000	-	104	F, S
		LXSMT036WBX7UWH	70LB	Smooth	13X19	36.4	1000	-	104	F, S
		LXSMT041WBX7UWH	70LB	Smooth	14X20	41.26	1000	-	104	F, S
		LXSMT016WBC8UWH	80LB	Smooth	8.5X11	15.75	4000	250	118	F, S
		LXSMT032WBX8UWH	80LB	Smooth	11X17	31.5	2000	250	118	F, S
		LXSMT036WBX8UWH	80LB	Smooth	12X18	36.38	1000	-	118	F, S
		LXSMT042WBX8UWH	80LB	Smooth	13X19	41.6	1000	-	118	F, S
		LXSMT045WBX1UWH	100LB	Smooth	12X18	45.47	750	-	148	F, S
		LXSMT052WBX1UWH	100LB	Smooth	13X19	52	750	-	148	F, S
		LXSMC023WBC6UWH	65LB CVR	Smooth	8.5X11	23.38	2500	250	176	F, S
		LXSMC047WBD6UWH	65LB CVR	Smooth	17X11	46.75	1250	250	176	F, S
		LXSMC054WBG6UWH	65LB CVR	Smooth	18X12	54	650	-	176	F, S
		LXSMC029WBC8UWH	80LB CVR	Smooth	8.5X11	28.77	2000	250	216	F, S
		LXSMC058WBD8UWH	80LB CVR	Smooth	17X11	57.54	1000	250	216	F, S
		LXSMC066WBG8UWH	80LB CVR	Smooth	18X12	66.46	500	-	216	F, S
		LXSMC076WBX8UWH	80LB CVR	Smooth	19X13	76	500	-	216	F, S
		LXSMC036WBC1UWH	100LB CVR	Smooth	8.5X11	35.96	1600	200	270	F, S
		LXSMC072WBD1UWH	100LB CVR	Smooth	17X11	71.92	750	250	270	F, S
		LXSMC083WBG1UWH	100LB CVR	Smooth	18X12	83.08	400	-	270	F, S
		LXSMC095WBX1UWH	100LB CVR	Smooth	19X13	95	400	-	270	F, S

ENVIRO100 DIGITAL SATIN

OEM endorsement(s): HP Indigo 5000/7000

	SKU	BASIS	FINISH	SIZE	MWT	SHTS/CTN	SHTS/PKG	GSM	CERTIFICATION	PCW	
CASCADES	Enviro100 Digital Satin	E1SDT028WHX7URO	70LB	Satin	11X17	27.5	2000	500	104	F	100
		E1SDT032WHD7URO	70LB	Satin	12X18	31.75	2000	500	104	F	100
		E1SDT037WHD7URO	70LB	Satin	13X19	36.5	1500	500	104	F	100
		E1SDT032WHX8URO	80LB	Satin	11X17	31.5	2000	250	118	F	100
		E1SDT037WHD8URO	80LB	Satin	12X18	36.5	1500	250	118	F	100
		E1SDT037WHG8URO	80LB	Satin	18X12	36.5	1500	250	118	F	100
		E1SDT042WHD8URO	80LB	Satin	13X19	41.5	1250	250	118	F	100
		E1SDT047WHD8URO	80LB	Satin	14X20	47.15	1250	250	118	F	100

ROLLAND HITECH

OEM endorsement(s): Canon, Xerox, HP, and Ricoh series, Konica Minolta series and Oce VarioPrint 60LB and up also on the following: Xerox iGen, Xerox 1000/800, Ricoh C900, Ricoh 1357EX and Canon ImageRunner

	SKU	BASIS	FINISH	SIZE	MWT	SHTS/CTN	SHTS/PKG	GSM	CERTIFICATION	PCW	
CASCADES	Rolland Hitech Smooth	ROHIT010WTC5URO	50LB	Smooth	8.5X11	9.75	5000	500	74	F	50
		ROHIT020WTX5URO	50LB	Smooth	11X17	19.75	2500	500	74	F	50
		ROHIT020WTG5URO	50LB	Smooth	17X11	19.75	2500	500	74	F	50
		ROHIT023WTD5URO	50LB	Smooth	12X18	22.75	2000	500	74	F	50
		ROHIT012WTC6URO	60LB	Smooth	8.5X11	11.75	4000	500	89	F	50
		ROHITL15WTX6URO	60LB	Smooth	8.5X14	15	4000	500	89	F	50
		ROHIT024WTX6URO	60LB	Smooth	11X17	23.5	2000	500	89	F	50
		ROHIT024WTG6URO	60LB	Smooth	17X11	23.5	2000	500	89	F	50
		ROHIT027WTD6URO	60LB	Smooth	12X18	27.25	2000	500	89	F	50
		ROHIT027WTG6URO	60LB	Smooth	18X12	27.25	2000	500	89	F	50
		ROHIT014WTC7URO	70LB	Smooth	8.5X11	13.75	4000	500	104	F	50
		ROHITL18WTX7URO	70LB	Smooth	8.5X14	17.5	2000	500	104	F	50
		ROHIT028WTX7URO	70LB	Smooth	11X17	27.5	2000	500	104	F	50
		ROHIT032WTD7URO	70LB	Smooth	12X18	31.75	2000	500	104	F	50
		ROHIT032WTG7URO	70LB	Smooth	18X12	31.75	2000	500	104	F	50
		ROHIT037WTD7URO	70LB	Smooth	13X19	36.5	1750	250	104	F	50
		ROHIT016WTC8URO	80LB	Smooth	8.5X11	15.75	4000	250	118	F	50
		ROHIT032WTX8URO	80LB	Smooth	11X17	31.5	2000	250	118	F	50
		ROHIT037WTD8URO	80LB	Smooth	12X18	36.5	1500	250	118	F	50

ROLLAND HITECH (cont'd)

	SKU	BASIS	FINISH	SIZE	MWT	SHTS/CTN	SHTS/PKG	GSM	CERTIFICATION	PCW	
CASCADES	Rolland Hitech Smooth	ROHIC024WTC6URO	65LB CVR	Smooth	8.5X11	23.5	2000	250	176	F	50
		ROHIC029WTC8URO	80LB CVR	Smooth	8.5X11	28.75	2000	250	216	F	50
		ROHIC058WTX8URO	80LB CVR	Smooth	11X17	57.5	1000	250	216	F	50
		ROHIC058WTD8URO	80LB CVR	Smooth	17X11	57.5	1000	250	216	F	50
		ROHIC067WTD8URO	80LB CVR	Smooth	18X12	66.5	1000	250	216	F	50
		ROHIC076WTD8URO	80LB CVR	Smooth	19X13	76	750	250	216	F	50
		ROHIC086WTD8URO	80LB CVR	Smooth	20X14	86.25	750	250	216	F	50
		ROHIC036WTC1URO	100LB CVR	Smooth	8.5X11	36	1500	125	270	F	50
		ROHIC083WTD1URO	100LB CVR	Smooth	18X12	83	750	125	270	F	50

HUSKY DIGITAL

OEM endorsement(s): 2-star Certified for HP Indigo 5500 and 7000 series presses

	SKU	BASIS	FINISH	SIZE	MWT	SHTS/CTN	GSM	CERTIFICATION
DOMTAR	Husky Digital Smooth	HKSMTO27WHD6UWH	60LB	Smooth	12X18	27.28	1200	S
		HKSMTO32WHD7UWH	70LB	Smooth	12X18	31.83	1000	S
		HKSMTO36WHD7UWH	70LB	Smooth	13X19	36.4	500	S

GLAMA NATURAL DIGITAL

OEM endorsement(s): HP Indigo Certified

	SKU	BASIS	FINISH	SIZE	MWT	SHTS/CTN	SHTS/PKG	GSM	CERTIFICATION	
CTI PAPER	Glama Natural Digital Translucent	GLCLW047WCD4W15	40LB	Translucent	18X12	47	900	300	150	F
		GLCLW053WCD4W15	40LB	Translucent	19X13	53	900	300	150	F

ASPIRE PETALLICS DIGITAL

OEM endorsement(s): HP Indigo Certified, Xerox iGen - Cover only, Kodak NexPress - Cover only

	SKU	BASIS	COLOUR	SIZE	MWT	SHTS/CTN	SHTS/PKG	GSM	CERTIFICATION	PCW	
CTI PAPER	Aspire Petallics Digital	2APET037LBD8T15	80LB	Beargrass	12X18	37	1000	250	118	F	-
		2APET037LAD8T15	80LB	Autumn Hay	12X18	37	1000	250	118	F	30
		2APECO82LBD9T15	98LB CVR	Beargrass	18X12	82	500	125	265	F	-
		2APECO82LAD9T15	98LB CVR	Autumn Hay	18X12	82	500	125	265	F	30

MOHAWK PANORAMIC

	SKU	BASIS	FINISH	SIZE	MWT	SHTS/CTN	SHTS/PKG	GSM	CERTIFICATION	
MOHAWK	Mohawk Panoramic	P901T047WHD1TMH	100LB	Mohawk Options Smooth	18.5X12	46.74	500	-	148	F
		P950T047BWD1TMH	100LB	Mohawk 50/10 Gloss	18.5X12	46.74	500	-	148	F
		P9LOT047WHD1TMH	100LB	Mohawk Loop Silk	18.5X12	46.74	500	-	148	F
		P9VMT037W1D8TMH	80LB	Mohawk Vellum	18.5X12	37.39	500	100	118	F
		P9VMT037WPD8TMH	80LB	Mohawk Vellum	18.5X12	37.39	500	100	118	F

MOHAWK SUPERFINE MULTILOFT

OEM endorsement(s): i-Tone

	SKU	BASIS	COLOIR	SIZE	MWT	SHTS/CTN	SHTS/PKG	GSM	CERTIFICATION	
MOHAWK	Mohawk Superfine Multiloft Eggshell - C1S	ML1SC102WHD2TMH	120LB	White	18.5X12	102	400	100	324	F
		ML1SC102WSD2TMH	120LB	Softwhite	18.5X12	102	400	100	324	F
		ML1SC102WUD2TMH	120LB	Ultrawhite	18.5X12	102	400	100	324	F
		ML2SC102WHD2TMH	120LB	White	18.5X12	102	400	200	324	F
		ML2SC102WSD2TMH	120LB	Softwhite	18.5X12	102	400	200	324	F
		ML2SC102WUD2TMH	120LB	Ultrawhite	18.5X12	102	400	200	324	F